





MJ-GERÜST
Scaffolding Systems

WWW.MJ-SCAFFOLDING.COM     



OPTI-RACK-SHELF

PRICES | EDITION 10.2025



**SCAFFOLDING MADE IN
PLETTENBERG**

OPTI-RACK-SHELF SINGLE-SIDED – IPE 180

Technical data

Height	3.470 mm	Design	single-sided
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE-profile 180	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE profile
Max. Upright load	2.700 kg	Level	3 arms + base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised


Inside installation: **3 x 900 kg = 2.700 kg / Upright**
Outdoor installation: **3 x 640 kg = 1.920 kg / Upright**

Bundle 1 "4 Uprights 12 Arms" – Length 4,50 m

- 4 x Upright IPE-Profile H 3.470 mm incl. Base
- 6 x Upright connector 1.500 mm
- 1 x Diagonal bracing for FW 1.500 mm
- 12 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 2.635,00 €

ART.-NO.: 016276 | WEIGHT: 598,10 KG




Bundle 2 "5 Uprights 15 Arms" – Length 6,00 m

- 5 x Upright IPE-Profile H 3.470 mm incl. Base
- 8 x Upright connector 1.500 mm
- 1 x Diagonal bracing for FW 1.500 mm
- 15 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 3.345,00 €

ART.-NO.: 016277 | WEIGHT: 746,50 KG




Bundle 3 "7 Uprights 21 Arms" – Length 9,00 m

- 7 x Upright IPE-Profile H 3.470 mm incl. Base
- 12 x Upright connector 1.500 mm
- 2 x Diagonal bracing for FW 1.500 mm
- 21 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 4.537,00 €

ART.-NO.: 016278 | WEIGHT: 1.051,50 KG




Bundle 4 "9 Uprights 27 Arms" – Length 12,00 m

- 9 x Upright IPE-Profile H 3.470 mm incl. Base
- 16 x Upright connector 1.500 mm
- 2 x Diagonal bracing for FW 1.500 mm
- 27 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 5.692,00 €

ART.-NO.: 016279 | WEIGHT: 1.348,10 KG



MJ-GERÜST
Scaffolding Systems

WWW.MJ-SCAFFOLDING.COM



OPTI-RACK-SHELF DOUBLE-SIDED – IPE 180

Technical data

Height	3.470 mm	Design	double sided
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE-Profile 180	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE-Profile
Max. Upright load	2.700 kg	Level	3 Arms + Base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised


Inside installation: **3 x 900 kg = 2.700 kg / Upright**
 Outdoor installation: **3 x 640 kg = 1.920 kg / Upright**

Bundle 5 "4 Uprights 24 Arms" – Length 4,50 m

- 4 x** Upright IPE-Profile H 3.470 mm incl. Base
- 6 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 24 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 3.913,00 €

ART.-NO.: 016302 | WEIGHT: 883,40 KG




Bundle 6 "5 Uprights 30 Arms" – Length 6,00 m

- 5 x** Upright IPE-Profile H 3.470 mm incl. Base
- 8 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 30 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 4.777,00 €

ART.-NO.: 016303 | WEIGHT: 1.103,00 KG




Bundle 7 "7 Uprights 42 Arms" – Length 9,00 m

- 7 x** Upright IPE-Profile H 3.470 mm incl. Base
- 12 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 42 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 6.541,00 €

ART.-NO.: 016304 | WEIGHT: 1.550,50 KG




Bundle 8 "9 Uprights 54 Arms" – Length 12,00 m

- 9 x** Upright IPE-Profil H 3.470 mm inkl. Fuß
- 16 x** Uprightverbinder 1.500 mm
- 2 x** Diagonalverband für FW 1.500 mm
- 54 x** Kragarm IPE-Profil 1.200 mm

BUNDLE PRICE: 8.394,00 €

ART.-NO.: 016305 | WEIGHT: 1.989,80 KG



MJ-GERÜST
Scaffolding Systems

WWW.MJ-SCAFFOLDING.COM



OPTI-RACK-SHELF SINGLE-SIDED – IPE 200

Technical data

Height	3.690 mm	Design	single-sided
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE-Profile 200	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE-Profile
Max. Upright load	2.700 kg	Level	3 Arms + Base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised


Inside installation: **4 x 900 kg = 3.600 kg / Upright**
 Outdoor installation: **3 x 900 kg = 2.700 kg / Upright**

Bundle 1 "4 Uprights 12 Arms" – Length 4,50 m

- 4 x** Upright IPE-Profile H 3.690 mm incl. Base
- 6 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 12 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 2.959,00 €

ART.-NO.: 016307 | WEIGHT: 690,70 KG




Bundle 2 "5 Uprights 15 Arms" – Length 6,00 m

- 5 x** Upright IPE-Profile H 3.690 mm incl. Base
- 8 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 15 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 3.750,00 €

ART.-NO.: 016308 | WEIGHT: 862,30 KG




Bundle 3 "7 Uprights 21 Arms" – Length 9,00 m

- 7 x** Upright IPE-Profile H 3.690 mm incl. Base
- 12 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 21 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 5.104,00 €

ART.-NO.: 016309 | WEIGHT: 1.213,40 KG




Bundle 4 "9 Uprights 27 Arms" – Length 12,00 m

- 9 x** Upright IPE-Profile H 3.690 mm incl. Base
- 16 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 27 x** Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 6.421,00 €

ART.-NO.: 016310 | WEIGHT: 1.556,50 KG



MJ-GERÜST
Scaffolding Systems

WWW.MJ-SCAFFOLDING.COM



OPTI-RACK-SHELF DOUBLE-SIDED – IPE 200

Technical data

Height	3.690 mm	Design	double sided
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE-Profile 200	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE-Profile
Max. Upright load	2.700 kg	Level	3 Arms + Base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised


Inside installation: **4 x 900 kg = 3.600 kg / Upright**
Outdoor installation: **3 x 900 kg = 2.700 kg / Upright**

Bundle 5 "4 Uprights 24 Arms" – Length 4,50 m

- 4 x Upright IPE-Profile H 3.690 mm incl. Base
- 6 x Upright connector 1.500 mm
- 1 x Diagonal bracing for FW 1.500 mm
- 24 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 4.325,00 €

ART.-NO.: 016311 | WEIGHT: 993,50 KG




Bundle 6 "5 Uprights 30 Arms" – Length 6,00 m

- 5 x Upright IPE-Profile H 3.690 mm incl. Base
- 8 x Upright connector 1.500 mm
- 1 x Diagonal bracing for FW 1.500 mm
- 30 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 5.292,00 €

ART.-NO.: 016312 | WEIGHT: 1.240,70 KG




Bundle 7 "7 Uprights 42 Arms" – Length 9,00 m

- 7 x Upright IPE-Profile H 3.690 mm incl. Base
- 12 x Upright connector 1.500 mm
- 2 x Diagonal bracing for FW 1.500 mm
- 42 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 7.387,00 €

ART.-NO.: 016313 | WEIGHT: 1.743,20 KG




Bundle 8 "9 Uprights 54 Arms" – Length 12,00 m

- 9 x Upright IPE-Profile H 3.690 mm incl. Base
- 16 x Upright connector 1.500 mm
- 2 x Diagonal bracing for FW 1.500 mm
- 54 x Cantilever IPE-Profile 1.200 mm

BUNDLE PRICE: 9.321,00 €

ART.-NO.: 016314 | WEIGHT: 2.237,60 KG



MJ-GERÜST
Scaffolding Systems

WWW.MJ-SCAFFOLDING.COM





MJ-GERÜST
Scaffolding Systems

**SCAFFOLDING MADE IN
PLETTENBERG**

WWW.MJ-SCAFFOLDING.COM



OPTIMA

Flexible façade scaffolding



OPTIMA METRIC

Flexible façade scaffolding



OPTIMA TOP

Flexible façade scaffolding



UNI-CONNECT

Frame System 73/109



UNI

Frame System 70/100



UNI TOP

Frame System 65/100



COMBI

Modular System



WALL AND ROOF

Enclosure



ACCESSORIES

Universal

MJ-Gerüst GmbH | Ziegelstraße 68 | 58840 Plettenberg Germany | info@mj-geruest.de