






MJ-GERÜST
Scaffolding Systems

WWW.MJ-SCAFFOLDING.COM     



PALLETS AND STORING STUFF

PRICES | EDITION 09.2026



**SCAFFOLDING MADE IN
PLETTENBERG**

SCAFFOLDINGS MADE IN PLETTENBERG

MJ-Gerüst GmbH, based in Plettenberg in the German region of Sauerland, is part of a strong group of companies, which can look back on more than 50 years of company history. The core competence of the family company lies in the production and worldwide distribution of high-quality steel and aluminum scaffolding systems, which offer almost limitless possibilities in the field of modern system scaffolding construction.

With a unique range of products and a wide range of universal accessories, we offer our customers the option of completing existing scaffolding material in a system-compatible complement. A highly valued advantage by our customers that has given our scaffolding international recognition and prominence.

Development, production and sales. These are the cornerstones of our range of services, which are supplemented by numerous additional services. Especially our support in the planning and implementation of difficult projects is claimed. A service in which our technical know-how and experience can often contribute to considerable time and cost savings.

Only through qualified work can a safe quality product be created. Our proven quality management reflects our knowledge and experience and makes the quality of our products measurable. In order to guarantee our high quality standards, our production processes are constantly accompanied by external examination offices and engineers.

**OUR COMPANY - YOUR BENEFITS**

- Production in Germany at the location Plettenberg
- System compatible, high quality and norm compliant scaffold systems
- Certifications according to DIN EN 9001, 14001 and 50001
- Highest product quality through dynamic quality management
- Short-term availability of material due to high storage capacities and short decision-making processes
- Use of the modern production technology and permanent optimization of technological production running
- Project support already in the planning phase

PARTNER AND CERTIFICATES

**BUNDESINNUNG
GERÜSTBAU**


MPA NRW



**SGUV
SESE
SISP**
Schweizerischer Gerüstbau-Unternehmer-Verband
Société des Entrepreneurs Suisse en Echafaudages
Società degli Imprenditori Svizzera dei Ponteggi

**Deutsches
Institut
für
Bautechnik**




WWW.MJ-SCAFFOLDING.COM



Modulpaletten	04
Gitterpaletten, Blechboxen und Container	05
Stapelpaletten, Gerüstpaletten und Transportgestelle	07
OPTI-RACK Lagersysteme	09
OPTI-RACK-REGAL EINSEITIG – IPE 180	10
OPTI-RACK-REGAL DOPPELSEITIG – IPE 180	11
OPTI-RACK-REGAL EINSEITIG – IPE 200	12
OPTI-RACK-REGAL DOPPELSEITIG – IPE 200	13
Zubehör OPTI-RACK	14
Checkliste OPTI-RACK	17

 Made in Plettenberg
  Net price, not discountable
  European standard
  Grant BG BAU
  Individual identification
  Delivery time on request

All prices exclude VAT applicable at the time of shipment. All dimensions and weights are non-binding approximate values. Technical data is subject to change without prior notice. Prices are charged as applicable on the day of shipment. Sale is subject exclusively to our sales terms and delivery conditions. An excerpt: place of business and jurisdiction is Plettenberg. Extended retention of title until full payment of all outstanding claims. Our prices are ex works.

MODULE PALLET 610


- Load capacity 1.600 kg
- Load limit 4.800 kg



Length (m)	Width (m)	Height (m)	Weight (kg)	Article no.	Price (€)
1,28	0,88	0,83	30,00	016187	239,00

MODULE PALLET 830

- Load capacity 2.000 kg
- Load limit 6.000 kg




Length (m)	Width (m)	Height (m)	Weight (kg)	Article no.	Price (€)
1,28	0,88	1,05	47,00	016188	299,00

MODULE PALLET 612




- Steel, hot dip galvanized
- Cannot be dismantled
- With four cranes eyes for receiving crane hooks
- Can be combined with grid boxes



Length (m)	Width (m)	Weight (kg)	Article no.	Price (€)
1,20	0,80	42,00	010176	377,40

MESH PALLET STEEL BASE 610


- With a steel base
- Load capacity 1.600 kg
- Load limit 4.800 kg



Length (m)	Width (m)	Height (m)	Weight (kg)	Article no.	Price (€)
1,28	0,88	0,83	63,50	016189	459,00

METAL BOX 610


- Load capacity 1.600 kg
- Load limit 4.800 kg



Length (m)	Width (m)	Height (m)	Weight (kg)	Article no.	Price (€)
1,28	0,88	0,83	85,10	016190	550,00

MULTI-PURPOSE CONTAINER


- Load limit 5.100kg
- Capacity 0,85m³
- Total volume 1,00m³



Length (m)	Width (m)	Height (m)	Weight (kg)	Article no.	Price (€)
1,73	1,09	0,74	107,00	016191	799,00

STACKINGBOX

- With four eyes for transport by a crane
- Load up to 2.000 kg
- Stackable




Length (m)	Width (m)	Weight (kg)	Article no.	Price (€)
1,00	0,80	53,00	010362	288,60

INDUSTRIAL LATTICE BOX




- Steel, lacquered RAL 7030
- With timber deck
- On a side with half flap



Fill height (m)	Length (m)	Width (m)	Weight (kg)	Article no.	Price (€)
0,80	1,24	0,84	85,00	002249	369,10
0,40	1,24	0,84	75,00	009749	322,40
0,33	1,24	0,84	69,00	009750	332,00

TENSIONING BELT

- With profile hook
- Traction 5000 daN







Length (m)	Weight (kg)	Article no.	Price (€)
8,00	2,52	009618	21,00

STACKING PALLET FOR TUBES



- Steel tube, hot dip galvanized
- Specially suited for module scaffolds, e. g. standards, ledgers, guard rails, diagonal braces, tubes and toe boards
- Open all round
- Suited for stacked and crane transports
- The tubular supports are removable and are to be stowed securely in the base frame so that empty pallets can be transported and stacked in a very space-saving manner
- Special orders on request
- Push-on tube with bevel on one side, also available separately (Article no. 005791)

Length (m)	Width (m)	Weight (kg)	PU (pcs.)	Article no.	Price (€)
0,85	0,85	30,50	5	006962	232,20
1,25	0,55	31,80	5	010334	231,90
1,25	0,85	35,00	5	005614	240,20




STORAGE AND TRANSPORT FRAME FOR VERTICAL FRAME



- Steel tube, hot dip galvanized
- Double base frame allows lateral retraction
- Filled stackable
- Cranable with additional eyelets
- Capacity varies


System	Model	Length (m)	Width (m)	Weight (kg)	Article no.	Price (€)
UC 70/ UNI 70	42 Frames	2,41	0,78	108,00	010691	1112,80
UC 100/ UNI 100	42 Frames	2,41	1,14	114,00	010597	1164,50
UT 65	34 Frames	2,37	0,71	85,00	011052	1112,80
UT 100	34 Frames	2,37	0,74	85,00	011083	1164,50



SCAFFOLD PALLET FOR VERTICAL FRAME



- Steel tube, hot dip galvanized
- Continuous fork mount for safe fork-lift transport
- Additional cut-outs allow side retracting
- Capacity: 20 Assembly frames




System	Length (m)	Width (m)	Weight (kg)	PU (pcs.)	Article no.	Price (€)
UC 70/ UNI 70	1,11	0,79	31,10	5	008317	301,90
UC 100/ UNI 100	1,11	1,16	38,70	5	008367	328,10
UT 65	1,12	0,74	28,50	5	008363	248,60
UT 100	1,12	1,09	36,10	5	008406	278,60

MJ BEARING FOOT A/F 19



- Steel, hot dip galvanized
- With welded half coupler A/F 19
- For easy assembly of dismountable stacking frames made of scaffold components
- Very low space requirement for storage and transport



Weight (kg)	A/F	Article no.	Price (€)
1,80	19	013980	44,20
1,80	22	016131	44,20

OPTI-RACK

Storage systems for professionals

CANTILEVER RACK

single-sided



FROM 2.395,80 €*

plus freight

- ✓ High load capacity and maximum safety
- ✓ Modular and flexibly expandable
- ✓ Quick assembly
- ✓ Made in Germany

CANTILEVER RACK

with a roof – single-sided



FROM 3.406,80 €*

plus freight

CANTILEVER RACK

with a roof – double-sided



FROM 5.953,80 €*

plus freight



Flat-rate freight charges
DE | AT | CH

Freight (DE/AT/CH) up to 700 kg

350,00 €

Freight (DE/AT/CH) up to 1,600 kg

475,00 €

Freight (DE/AT/CH) up to 2,250 kg

600,00 €

Freight (DE/AT/CH) up to 3,000 kg

725,00 €

For shipments over 3,000 kg or to other countries, please enquire about freight rates with our office staff.



Worldwide delivery
on request

* all prices are exclusive of VAT

✓ Available at short notice within 14 days.



Made in Plettenberg



Net price, not discountable



European standard



Grant BG BAU



Individual identification



Delivery time on request

OPTI-RACK-SHELF SINGLE-SIDED – IPE 180

Technical data

Height	3.470 mm	Design	single-sided
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE profile 180	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE profile
Max. Upright load	2.700 kg	Level	3 arms + base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised

Inside installation: **3 x 900 kg = 2.700 kg / Upright**
 Outdoor installation: **3 x 640 kg = 1.920 kg / Upright**

Bundle 1 "4 Uprights 12 Arms" – Length 4,50 m


- 4 x** Upright IPE profile H 3.470 mm incl. Base
- 6 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 12 x** Cantilever IPE profile 1.200 mm

Article no.: 016276 | Weight: 598,10 kg

Bundle Price (List price): **3.993,00 €**

Special offer: 2.395,80 €

plus flat-rate shipping fee: 350,00 €



Bundle 2 "5 Uprights 15 Arms" – Length 6,00 m

- 5 x** Upright IPE profile H 3.470 mm incl. Base
- 8 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 15 x** Cantilever IPE profile 1.200 mm

Article no.: 016277 | Weight: 746,50 kg

Bundle Price (List price): **5.003,00 €**

Special offer: 3.001,80 €

plus flat-rate shipping fee: 475,00 €



Bundle 3 "7 Uprights 21 Arms" – Length 9,00 m


- 7 x** Upright IPE profile H 3.470 mm incl. Base
- 12 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 21 x** Cantilever IPE profile 1.200 mm

Article no.: 016278 | Weight: 1.051,50 kg

Bundle Price (List price): **7.092,00 €**

Special offer: 4.255,20 €

plus flat-rate shipping fee: 475,00 €



Bundle 4 "9 Uprights 27 Arms" – Length 12,00 m


- 9 x** Upright IPE profile H 3.470 mm incl. Base
- 16 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 27 x** Cantilever IPE profile 1.200 mm

Article no.: 016279 | Weight: 1.348,10 kg

Bundle Price (List price): **9.112,00 €**

Special offer: 5.467,20 €

plus flat-rate shipping fee: 475,00 €



OPTI-RACK-SHELF DOUBLE-SIDED – IPE 180

Technical data

Height	3.470 mm	Design	double-sided
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE profile 180	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE profile
Max. Upright load	2.700 kg	Level	3 arms + base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised

Inside installation: **3 x 900 kg = 2.700 kg / Upright**
 Outdoor installation: **3 x 640 kg = 1.920 kg / Upright**

Bundle 5 "4 Uprights 24 Arms" – Length 4,50 m


- 4 x** Upright IPE profile H 3.470 mm incl. Base
- 6 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 24 x** Cantilever IPE profile 1.200 mm

Article no.: 016302 | Weight: 883,40 kg

Bundle Price (List price): **6.245,00 €**

Special offer: 3.747,00 €

plus flat-rate shipping fee: 475,00 €



Bundle 6 "5 Uprights 30 Arms" – Length 6,00 m


- 5 x** Upright IPE profile H 3.470 mm incl. Base
- 8 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 30 x** Cantilever IPE profile 1.200 mm

Article no.: 016303 | Weight: 1.103,00 kg

Bundle Price (List price): **7.818,00 €**

Special offer: 4.690,80 €

plus flat-rate shipping fee: 475,00 €



Bundle 7 "7 Uprights 42 Arms" – Length 9,00 m


- 7 x** Upright IPE profile H 3.470 mm incl. Base
- 12 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 42 x** Cantilever IPE profile 1.200 mm

Article no.: 016304 | Weight: 1.550,50 kg

Bundle Price (List price): **11.033,00 €**

Special offer: 6.619,80 €

plus flat-rate shipping fee: 475,00 €



Bundle 8 "9 Uprights 54 Arms" – Length 12,00 m


- 9 x** Upright IPE profile H 3.470 mm incl. Base
- 16 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 54 x** Cantilever IPE profile 1.200 mm

Article no.: 016305 | Weight: 1.989,80 kg

Bundle Price (List price): **14.179,00 €**

Special offer: 8.507,40 €

plus flat-rate shipping fee: 650,00 €



Made in Plettenberg



Net price, not discountable



European standard



Grant BG BAU



Individual identification



Delivery time on request

OPTI-RACK-SHELF SINGLE-SIDED – IPE 200

Technical data

Height	3.690 mm	Design	einseitig
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE profile 200	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE profile
Max. Upright load	2.700 kg	Level	3 Arms + base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised

Inside installation: **4 x 900 kg = 3.600 kg / Upright**
 Outdoor installation: **3 x 900 kg = 2.700 kg / Upright**

Bundle 1 "4 Uprights 12 Arms" – Length 4,50 m


- 4 x** Upright IPE profile H 3.690 mm incl. Base
- 6 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 12 x** Cantilever IPE profile 1.200 mm

Article no.: 016307 | Weight: 690,70 kg

Bundle Price (List price): **4.513,00 €**

Special offer: 2.707,80 €

plus flat-rate shipping fee: 350,00 €



Bundle 2 "5 Uprights 15 Arms" – Length 6,00 m

- 5 x** Upright IPE profile H 3.690 mm incl. Base
- 8 x** Upright connector 1.500 mm
- 1 x** Diagonal bracing for FW 1.500 mm
- 15 x** Cantilever IPE profile 1.200 mm

Article no.: 016308 | Weight: 862,30 kg

Bundle Price (List price): **5.653,00 €**

Special offer: 3.391,80 €

plus flat-rate shipping fee: 475,00 €



Bundle 3 "7 Uprights 21 Arms" – Length 9,00 m


- 7 x** Upright IPE profile H 3.690 mm incl. Base
- 12 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 21 x** Cantilever IPE profile 1.200 mm

Article no.: 016309 | Weight: 1.213,40 kg

Bundle Price (List price): **8.002,00 €**

Special offer: 4.801,20 €

plus flat-rate shipping fee: 475,00 €



Bundle 4 "9 Uprights 27 Arms" – Length 12,00 m


- 9 x** Upright IPE profile H 3.690 mm incl. Base
- 16 x** Upright connector 1.500 mm
- 2 x** Diagonal bracing for FW 1.500 mm
- 27 x** Cantilever IPE profile 1.200 mm

Article no.: 016310 | Weight: 1.556,50 kg

Bundle Price (List price): **10.282,00 €**

Special offer: 6.169,20 €

plus flat-rate shipping fee: 475,00 €



OPTI-RACK-SHELF DOUBLE-SIDED – IPE 200

Technical data

Height	3.690 mm	Design	doppelseitig
Bay width	1.500 mm	Adjustment grid	100 mm
Upright profile	IPE profile 200	Design	bolted
Cantilever arm length	1.200 mm	Cantilever profile	IPE profile
Max. Upright load	2.700 kg	Level	3 Arms + base
Max. Cantilever load	900 kg	Surface	hot-dip galvanised

Inside installation: **4 x 900 kg = 3.600 kg / Upright**
 Outdoor installation: **3 x 900 kg = 2.700 kg / Upright**

Bundle 5 "4 Uprights 24 Arms" – Length 4,50 m


- 4 x Upright IPE profile H 3.690 mm incl. Base
- 6 x Upright connector 1.500 mm
- 1 x Diagonal bracing for FW 1.500 mm
- 24 x Cantilever IPE profile 1.200 mm

Article no.: 016311 | Weight: 993,50 kg

Bundle Price (List price): **6.849,00 €**

Special offer: 4.109,40 €

plus flat-rate shipping fee: 475,00 €



Bundle 6 "5 Uprights 30 Arms" – Length 6,00 m


- 5 x Upright IPE profile H 3.690 mm incl. Base
- 8 x Upright connector 1.500 mm
- 1 x Diagonal bracing for FW 1.500 mm
- 30 x Cantilever IPE profile 1.200 mm

Article no.: 016312 | Weight: 1.240,70 kg

Bundle Price (List price): **8.573,00 €**

Special offer: 5.143,80 €

plus flat-rate shipping fee: 475,00 €



Bundle 7 "7 Uprights 42 Arms" – Length 9,00 m


- 7 x Upright IPE profile H 3.690 mm incl. Base
- 12 x Upright connector 1.500 mm
- 2 x Diagonal bracing for FW 1.500 mm
- 42 x Cantilever IPE profile 1.200 mm

Article no.: 016313 | Weight: 1.743,20 kg

Bundle Price (List price): **12.090,00 €**

Special offer: 7.254,00 €

plus flat-rate shipping fee: 650,00 €



Bundle 8 "9 Uprights 54 Arms" – Length 12,00 m


- 9 x Upright IPE profile H 3.690 mm incl. Base
- 16 x Upright connector 1.500 mm
- 2 x Diagonal bracing for FW 1.500 mm
- 54 x Cantilever IPE profile 1.200 mm

Article no.: 016314 | Weight: 2.237,60 kg

Bundle Price (List price): **15.538,00 €**

Special offer: 9.322,80 €

plus flat-rate shipping fee: 650,00 €




STANDARD ROLL-OFF PROTECTION (FOOT/ARM)



- Steel, hot-dip galvanized
- Tube diameter: 16 mm
- 2 mm thickness
- The usable depth is reduced by approx. 50 mm when the roll-off protection is inserted


Height (mm)	Article no.	Price (€)
100	017254	2,50
150	017255	3,50
200	017256	4,50



FOOT RADIUS



- Surcharge per upright foot & side




Article no.	Price (€)
017257	12,50

BOLTED ARM & FOOT BRIDGE



- For pallet storage or reinforcement for chipboard and mesh shelves
- IPE structural steel profiles and connections are bolted to the arm or foot profile
- Bridge flush with the top edge of the upright foot or top edge of the cantilever arm
- Load capacities are calculated for an evenly distributed load and are based on documented system statics
- Painted or hot-dip galvanized
- Connection: galvanized DIN EN ISO 1461
- Screw connection: indoor and outdoor area M 12, ISO 4014 grade 8.8 hot-dip galvanized

Length (mm)	IPE	Article no.	Price (€)
1.500	100	017258	85,00
1.750	100	017259	95,00
2.000	100	017260	104,00




MESH GRATING



- Material: S 235 steel
- Manufacturing: DIN 24537
- Hot-dip galvanized
- Mesh grating fixing with M 6 DIN 7500 screw
- Mesh size: 33 mm × 66 mm, 375 kg/m² with evenly distributed load, no point or line loads


Width (mm)	Height (mm)	Article no.	Price (€)
1.500	1.200	017261	265,00
1.750	1.200	017262	315,00
2.000	1.200	017263	355,00



HORIZONTAL BRACING



U-profile	Bay width (cm)	Article no.	Price (€)
50/40	1.500	017264	168,00
50/40	1.750	017265	199,00
50/40	2.000	017266	229,00




ROOF ARM





- Structural steel profile IPE series
- Connection: W 39 – W 86 same as cantilever arms
- Standard: 5° slope (downward), 5° pitch (upward)
- Screw connection: 4-fold / 4-bolt
- Hot-dip galvanized

IPE	Length (mm)	Model	Article no.	Price (€)
120	1.300	pitch-up	016360	135,00
120	1.300	pitch-down	016361	135,00



LABELS

	INSTALLATION	TYP	KOMMISSION												
	2025	KR-ES	178833												
		Profil : 180 H : 3266 mm NT : 1200 mm Σ ① : 900 kg max Σ, :  <table><tr><th>IPE</th><th>NT (mm)</th><th>kg max</th></tr><tr><td>120</td><td>1200</td><td>900</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>		IPE	NT (mm)	kg max	120	1200	900						
IPE	NT (mm)	kg max													
120	1200	900													

Article no.	Price (€)
017267	12,50

SYSTEM LOAD SIGN


- Bolt to uprights at eye leveln
- Free system load sign included for net order values of €15,000 and above

Article no.	Price (€)
017268	On request

Kragarmregal K 1

Year

Com.-Nr.



I-PE	NT (mm)	H (mm)
270	800	7.670




I-PE	NT (mm)	kg (max.)
80	800	700


ACHTUNG

Als Werte gelten bei planmässiger Verankerung. Bei anderen Anordnungen sind vor der Installation die Tragfähigkeit und die Befestigungsmittel zu prüfen!

Achtung bei Befestigungsmitteln!



CHECKLIST OPTI-RACK




Customer name / Account No.:		
Place of delivery		
Sales Rep Name:		
Installation site:	Indoor installation	Outdoor installation
Number of racks:		
Single-sided or double-sided:	Single-sided	Double-sided
Uprights Height (mm):		
Top storage level (mm):		
Arm length / Usable depth (mm)	Standard 1.200 mm	
Arms per upright side:		
Load capacity per cantilever arm (kg):	Standard 900 kg	
Number of bays:		
Bay width (mm):	Standard 1.500 mm	
Surface:	Painted (indoor area)	
	RAL 5010 Gentian blue	RAL 3000 Flame red
	RAL 6011 Reseda green	RAL 7001 Silver grey
	Custom RAL color	
With roof:	Hot-dip galvanized (outdoor area)	
	Standard 1.300 mm	
	Slope (water drains to the rear / upright side)	Pitch (water drains to the front / operating side)
Snow load outside Germany (kg/m²):		



CHECKLIST OPTI-RACK


ACCESSORIES




Roll-off protection:

Arm height (mm):

Base height (mm):



Base bevel:





Grating:

Uniformly distributed load (kg/m²):

Euro pallet (kg):

Longitudinal storage

Transverse storage




Horizontal bracing:

Optional for grating, from 3 m storage height:

Arm / Base bridges:

Arm bridges


Base bridges



CHECKLIST

OPTI-RACK

STORED GOODS



Long goods, bundles, etc.	Weight (kg):		
	Length (m):	X	Depth (m):
Euro-pallet	Weight (kg):	Longitudinal / transverse storage	
Euro wire mesh box	Weight (kg):	Longitudinal / transverse storage	
Special pallet Special wire mesh box	Weight (kg):	Longitudinal / transverse storage	
	Length (m):	X	Depth (m):
	Skids, support points please define:		
Miscellaneous, Notes, Remarks:			

Freehand sketch if required:



MJ-GERÜST
Scaffolding Systems

**SCAFFOLDING MADE IN
PLETTENBERG**

WWW.MJ-SCAFFOLDING.COM



OPTIMA

Flexible façade scaffolding



OPTIMA METRIC

Flexible façade scaffolding



OPTIMA TOP

Flexible façade scaffolding



UNI-CONNECT

Frame System 73/109



UNI

Frame System 70/100



UNI TOP

Frame System 65/100



COMBI

Modular System



WALL AND ROOF

Enclosure



ACCESSORIES

Universal

MJ-Gerüst GmbH | Ziegelstraße 68 | 58840 Plettenberg Germany | info@mj-geruest.de